



STATE OF CONNECTICUT
 DEPARTMENT OF PUBLIC HEALTH
 RADON PROGRAM
 SCHOOL RADON RE-EVALUATION REPORT FORM

May 2017

The following form must be submitted to the Connecticut Department of Public Health Radon Program within ten (10) business days of providing a final written report of radon measurement activities to school personnel. Do not send test results or other documents. Submit only one signed form by mail, fax OR email (preferred) to the Radon Program at:

CT Department of Public Health Radon Program
 410 Capitol Avenue MS#12RAD
 Hartford, CT 06134-0308
 Fax: 860-509-7295
 Email: DPH.RadonReports@ct.gov

Name of School: Tolland Intermediate School
Address: 96 Old Post Rd.
 (Street, town, zip code) Tolland, CT 06084

Measurement Company: Environmental Transactions, Inc.
 Please provide the following summary information:

Testing Dates: 1/19/21 - 1/21/21
 (deployment & retrieval. Include confirmatory testing dates if necessary)

Total # of Rooms Tested: 9

Total # of Rooms Requiring Re-Testing: 0

Total # of Rooms Where Average Results were at or above 4.0 pCi/L: 0

Radon measurement activities were performed at the location above in accordance with United States Environmental Protection Agency protocols and the Connecticut Department of Public Health Radon Program's *School Radon Testing Guidance*.

Louis Esposito 5550001
 Measurement Professional / NRPP / NRSB #

Louis Esposito 1/24/21
 Signature Date

Peter Sotabe / Facilities Director
 School Designee / Title

Peter Sotabe 2/23/2021
 Signature Date



Phone: (860) 509-7299
 Telephone Device for the Deaf (860) 509-7191
 450 Capitol Avenue - MS # 51RAD
 P.O. Box 340308 Hartford, CT 06134
 An Equal Opportunity Employer

Environmental Transaction									
		35 Mill Rd							
		Woodcliff Lake, NJ 07677							
		201-505-1010							
	Elouis77@aol.com								
		TOLLAND INTERMEDIATE SCHOOL							
		96 OLD POST RD, TOLLAND, CT, 6084							
Vial #	Location	Start Date	Start Time	End Date	End Time	Radon Concentration (pCi/L)			
4979660	RM 124	01/19/2021	01:50 PM	01/21/2021	01:50 PM	<0.3			
5033581	RM 124 DUP	01/19/2021	01:50 PM	01/21/2021	01:50 PM	<0.3			
4971565	RM 123	01/19/2021	01:50 PM	01/21/2021	01:50 PM	<0.3			
5008694	RM 123 BLANK	01/19/2021	01:50 PM	01/21/2021	01:50 PM	<0.3			
5033645	RM 154	01/19/2021	01:50 PM	01/21/2021	01:50 PM	0.4			
4979906	RM 119	01/19/2021	01:50 PM	01/21/2021	01:50 PM	<0.3			
5033680	RM 117	01/19/2021	01:50 PM	01/21/2021	01:50 PM	<0.3			
4971241	RM 115	01/19/2021	01:50 PM	01/21/2021	01:50 PM	<0.3			
4971121	RM 113	01/19/2021	02:00 PM	01/21/2021	02:00 PM	<0.3			



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1333930
DATE RECEIVED: 01/22/2021
REPORT DATE: 01/26/2021

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

TEST LOCATION
TOLLAND INTERMEDIATE SCHOOL
96 OLD POST RD
TOLLAND, CT 06084

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4979660	1ST FLOOR RM 124	Jan 19, 2021 1:50 PM	Jan 21, 2021 1:50 PM	Jan 23, 2021 1:55 AM	< 0.3 pCi/L **

** One or more analysis results fall under the Lower Limit of Detection of 0.3 pCi/L.

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCl/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 648-0394.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1333931
DATE RECEIVED: 01/22/2021
REPORT DATE: 01/26/2021

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

TEST LOCATION
TOLLAND INTERMEDIATE SCHOOL
96 OLD POST RD
TOLLAND, CT 06084

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
5033581	1ST FLOOR RM 124 DUP	Jan 19, 2021 1:50 PM	Jan 21, 2021 1:50 PM	Jan 23, 2021 1:44 AM	< 0.3 pCi/L **

** One or more analysis results fall under the Lower Limit of Detection of 0.3 pCi/L.

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCl/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 648-0394.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1333932
DATE RECEIVED: 01/22/2021
REPORT DATE: 01/26/2021

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

TEST LOCATION
TOLLAND INTERMEDIATE SCHOOL
96 OLD POST RD
TOLLAND, CT 06084

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4971565	1ST FLOOR RM 123	Jan 19, 2021 1:50 PM	Jan 21, 2021 1:50 PM	Jan 23, 2021 1:34 AM	< 0.3 pCi/L **

** One or more analysis results fall under the Lower Limit of Detection of 0.3 pCi/L.

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCl/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 648-0394.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

James E. McDonnell IV

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1333935
DATE RECEIVED: 01/22/2021
REPORT DATE: 01/26/2021

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

TEST LOCATION
TOLLAND INTERMEDIATE SCHOOL
96 OLD POST RD
TOLLAND, CT 06084

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
5008694	1ST FLOOR RM 123 BLANK	Jan 19, 2021 1:50 PM	Jan 21, 2021 1:50 PM	Jan 23, 2021 1:23 AM	< 0.3 pCi/L **

**** One or more analysis results fall under the Lower Limit of Detection of 0.3 pCi/L.**

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 648-0394.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

James E. McDonnell IV

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1333937
DATE RECEIVED: 01/22/2021
REPORT DATE: 01/26/2021

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

TEST LOCATION
TOLLAND INTERMEDIATE SCHOOL
96 OLD POST RD
TOLLAND, CT 06084

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
5033645	1ST FLOOR RM 154	Jan 19, 2021 1:50 PM	Jan 21, 2021 1:50 PM	Jan 23, 2021 1:12 AM	0.4 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCl/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 648-0394.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1333938
DATE RECEIVED: 01/22/2021
REPORT DATE: 01/26/2021

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

TEST LOCATION
TOLLAND INTERMEDIATE SCHOOL
96 OLD POST RD
TOLLAND, CT 06084

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4979906	1ST FLOOR RM 119	Jan 19, 2021 1:50 PM	Jan 21, 2021 1:50 PM	Jan 23, 2021 1:02 AM	< 0.3 pCi/L **

** One or more analysis results fall under the Lower Limit of Detection of 0.3 pCi/L.

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCl/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 648-0394.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1333939
DATE RECEIVED: 01/22/2021
REPORT DATE: 01/26/2021

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

TEST LOCATION
TOLLAND INTERMEDIATE SCHOOL
96 OLD POST RD
TOLLAND, CT 06084

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
5033680	1ST FLOOR RM 117	Jan 19, 2021 1:50 PM	Jan 21, 2021 1:50 PM	Jan 23, 2021 12:51 AM	< 0.3 pCi/L **

** One or more analysis results fall under the Lower Limit of Detection of 0.3 pCi/L.

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 648-0394.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1333941
DATE RECEIVED: 01/22/2021
REPORT DATE: 01/26/2021

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

TEST LOCATION
TOLLAND INTERMEDIATE SCHOOL
96 OLD POST RD
TOLLAND, CT 06084

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4971241	1ST FLOOR RM 115	Jan 19, 2021 1:50 PM	Jan 21, 2021 1:50 PM	Jan 23, 2021 12:40 AM	< 0.3 pCi/L **

**** One or more analysis results fall under the Lower Limit of Detection of 0.3 pCi/L.**

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCl/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 648-0394.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1333942
DATE RECEIVED: 01/22/2021
REPORT DATE: 01/26/2021

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

TEST LOCATION
TOLLAND INTERMEDIATE SCHOOL
96 OLD POST RD
TOLLAND, CT 06084

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4971121	1ST FLOOR RM 113	Jan 19, 2021 2:00 PM	Jan 21, 2021 2:00 PM	Jan 23, 2021 12:55 PM	< 0.3 pCi/L **

** One or more analysis results fall under the Lower Limit of Detection of 0.3 pCi/L.

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCl/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 648-0394.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV